




Observation of the Atmospheric Data in Steep Mountain Region Using UAV and Doppler-Lidar

M.,Inoue, H.,Tsujiimoto, T.,Shimura (DPRI Kyoto University)
S.,Matida(Japan Weather Association)


Key words of the research

- 山岳地域・急峻な地形
(Mountain region, Steep topography)
- 風・気温・降水・浮遊物等の総合的な気象観測
(Wind, Temperature, Rainfall, Suspended materials)
- リモートセンシング（遠隔観測）
(Remote sensing)
- ドップラーライダー
(Doppler lidar)
- UAV
(Unmanned Aerial Vehicle)

Research area and observation sites



Steep topography around the research area





Specification of UAV

Model SPIDER CS-6 (ルーチェサーチ(株))
Weight 約3800g
Dimensions 950 × 950 × 400 mm
Max wind speed resistance 約15m/s
Max flight time 約25分 (搭載重量による)
Max takeoff weight 約4000g

Specification of CWS

Model WXT520 (Vaisala)
Weight 650g
Dimensions Φ 115mm × H238mm
Element Wind speed Wind direction (U,V),
Temperature, Relative humidity



Doppler lidar (ST1)



Example of observed data (wind profile every 6sec.)

Range	data_num	h(m)	U(m/s)	V(m/s)	W(m/s)	Vel(m/s)	Dir(deg)
0	15	29.544	-3.232	0.91	-0.904	3.357	105.729
1	15	59.088	2.338	-0.947	-0.505	2.522	292.041
2	15	88.633	-0.295	0.254	-0.542	0.39	130.753
3	15	118.177	0.633	-0.057	-0.478	0.635	275.138
4	15	147.721	0.246	0.769	-0.719	0.807	197.76
5	15	177.265	-1.749	0.523	-0.634	1.825	106.639
6	15	206.81	-1.434	-0.024	-0.467	1.434	89.03
7	15	236.354	-1.026	0.712	-0.502	1.249	124.742
8	15	265.898	0.267	0.325	-0.529	0.42	219.428
9	15	295.442	-0.08	0.351	-0.562	0.36	167.206
10	15	324.987	0.057	1.178	-0.714	1.179	182.789
11	15	354.531	0.2	0.782	-0.826	0.807	194.329
12	15	384.075	0.199	1.019	-0.743	1.038	191.056
13	15	413.619	-0.075	1.345	-0.606	1.347	176.814
14	15	443.163	3.075	-1.752	-0.639	3.539	299.669
15	14	472.708	4.603	-1.629	-0.374	4.883	289.491
16	15	502.252	2.939	-0.06	-0.454	2.94	271.173
17	14	531.796	1.919	-1.799	0.028	2.63	313.157
18	14	561.34	-0.341	-0.085	0.186	0.351	76.017
19	15	590.885	1.546	0.169	-0.066	1.555	263.773



Meteorological condition



1500JST July 14, 2016



a) Weather chart

b),d) Wind speed(m/s) at 800hPa by Hourly atmospheric analyzed GPV(Japan, Tyubu)




c) Radar rainfall(mm/h)

Ground data at ST1




Observation results: Wind profile at ST1




Observation results: Wind profile at ST1


2016-07-14 11:00





2016-07-14 11:00




Observation results using UAV




Wind profiles




Temperature & humidity profiles



(a) $z \doteq 70\text{m}$




(b) $z \doteq 480\text{m}$




Velocity vector fields at (a) $z \doteq 70\text{m}$ and (b) $z \doteq 480\text{m}$

Schematic diagram of wind field




Schematic diagram of wind field




Next challenge; Sakurajima Volcano



Observation results using UAV



Wind profiles



Temperature & humidity profiles

Ground data at ST1

